

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
19 April 2001 (19.04.2001)


PCT

(10) International Publication Number  
**WO 01/27813 A1**

- (51) International Patent Classification<sup>7</sup>: **G06F 17/30**
- (21) International Application Number: **PCT/US00/27672**
- (22) International Filing Date: **6 October 2000 (06.10.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
**60/158,314**      **8 October 1999 (08.10.1999)**      **US**
- (71) Applicant: **FREEWORKS. COM, INC.** [US/US]; 444 Castro Street, Suite 818, Mountainview, CA 94041 (US).
- (72) Inventors: **COLYER, Wallace**; 943 LaPlata Plaza, Campbell, CA 95088 (US). **BHAT, Tapan**; 461 West Meadow Drive, Palo Alto, CA 94306 (US). **DIFATTA, Charles, III**; 134 Vasona Oaks Drive, Los Gatos, CA 95032-7602 (US). **STUBENVOLL, David**; 5178 Apennines Circle, San Jose, CA 95138 (US). **ZHEN, Fangyao**; 2568 Crystal Drive, Santa Clara, CA 95051 (US).
- (74) Agent: **GOLUB, Daniel, H.**; 1650 Market Street, 2500 One Liberty Place, Philadelphia, PA 19103 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

[Continued on next page]

(54) Title: **METHOD AND APPARATUS FOR MAPPING A COMMUNITY THROUGH USER INTERACTIONS ON A COMPUTER NETWORK**



(57) Abstract: A system for building a database (118) that stores information representative of the organizational structure of a community of users (102a, 102b) of a computer network (106) is disclosed. The system uses an online computer applications service (106) that facilitates the initiation and completion of transactions between users

[Continued on next page]

WO 01/27813 A1



patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

— Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

**Published:**

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

in the community. Initially, a first user from the community registers on the computer applications service and information representative of the first user is stored in the database. Next, a first transaction record is created in the database from information inputted by the first registered user. The first transaction record includes at least one field representing an identify of a first unregistered user in the community, a field representing a role of the first registered user in the first transaction, and a field representing a role of the first unregistered user in the first transaction.

METHOD AND APPARATUS FOR MAPPING A COMMUNITY  
THROUGH USER INTERACTIONS ON A COMPUTER NETWORK

**REFERENCE TO RELATED APPLICATIONS**

5                   This application hereby claims the benefit of provisional application serial no.  
60/158,314, filed October 8, 1999.

**FIELD OF THE INVENTION**

10           The present invention relates to a method and apparatus for mapping the  
organizational structure and work flow of a community of users from a database. The  
invention uses an online computer applications service that facilitates the initiation and  
completion of transactions between users in the community in order to attract and invite users  
from the community onto the service and build the database. As more and more users from  
the community are attracted to the service and such users initiate and complete more and  
15   more transactions with each other, the database grows by storing information about each  
transaction between two or more users from the community. After a sufficient number of  
transactions are recorded in the database, the database becomes rich with information  
representing the organizational structure and work flow of the community, and this  
information can then be extracted and mapped by querying the database.

20                   **BACKGROUND OF THE INVENTION**

Databases are widely used in computer applications to collect, store and retrieve user  
information. For example, once a user inputs user information into a particular computer  
application, the information can be used by the application to prefill application pages, thus

streamlining the user's successive uses of the application. For example, computer applications, such as world wide web ("WWW") e-commerce applications, use databases to collect, store and retrieve a user's billing address, credit card information, and previous purchases. This information is then used to prefill web page forms upon successive uses of the WWW e-commerce applications. Other examples of such computer applications include stock tracking applications and travel reservation applications.

Existing computer applications, however, do not derive the structure of a group of people, or community, communicating over a computer network. This structural information would be quite useful in determining, analyzing, and improving how people work together. Further, these computer applications are limited in that, without an understanding of a particular community structure, they cannot predict the next step in a community procedure or derive work flow procedures and rules for a particular community.

It is therefore, an object of the present invention to provide a method for building a database that stores transaction information representative of an organizational structure of a community of users of a computer network.

It is another object of the present invention to provide a system for deriving the structure of a community whose people interact with one another on a computer network through a computer applications service.

It is another object of the present invention to provide a system for predicting the next step in a work flow process for a particular community whose people interact with one another on a computer network through a computer applications service.

It is another object of the present invention to provide a system for deriving work flow procedures and rules for a particular community whose people interact with one another on a computer network through a computer applications service.

It is another object of the present invention to provide a system for branding users of a particular community to track the identity of a third-party web site that refers or attracts each user of the community to the computer applications service.

These and other objects of the invention will become apparent from the description of the invention that follows.

#### **SUMMARY OF THE INVENTION**

The present invention is directed to a system and method for building a database that stores information representative of the organizational structure of a community of users of a computer network. In one example, the community of users corresponds to the employees of a particular business. In another example, the community of users corresponds to suppliers and customers from various businesses. The invention uses an online computer applications service that facilitates the initiation and completion of transactions (e.g., vacation requests or purchase order approvals) between users in the community (e.g., subordinates and managers in the business or between purchasers in one business and suppliers in another) over a computer network such as the internet. Initially, a first user from the community (e.g., an employee of the business) registers on the computer applications service and information representative of the first user is stored in the database. In one embodiment, the first user from the community is referred to the service via a banner advertisement or hyperlink on a

third-party web-site. In another embodiment, the first user accesses the service directly through the service's universal resource locator on the world-wide-web. Next, a first transaction record is created in the database from information inputted by the first registered user. In the illustrative example, the first transaction request corresponds to a vacation request that the first registered user is making to his/her manager at the company, and the manager is not a registered user of the service when the first transaction is initiated. The first transaction record includes at least one field representing an identity of a first unregistered user (e.g., the manager that will receive and be required to approve the vacation request) in the community, a field representing a role (e.g., requester) of the first registered user in the first transaction, and a field representing a role (e.g., approver) of the first unregistered user in the first transaction.

After creation of the first transaction record, the first unregistered user (e.g., the manager) is invited to register with the service when information representative of the first transaction is sent to the first unregistered user. In other words, in the illustrative example, the manager is invited to register with the service at the time that the vacation request is sent to the manager for approval. In response to this invitation, the first unregistered user registers with the service and information representative of the first unregistered user is stored in the database, thereby transforming the first unregistered user (e.g., the manager) into a second registered user.

After registration of the second user, further users from the community (e.g., further employees of the business) are invited onto the service and registered on the database by repeating the above process. Thus, further unregistered users from the community are registered with the service by repeating the following steps: (i) creating a further transaction

record in the database from information inputted by a given registered user, wherein the further transaction record includes at least one field representing an identity of a given unregistered user in the community, a field representing a role (e.g., requestor) of the given registered user in the further transaction, and a field representing a role (e.g., approver) of the given unregistered user in the further transaction, (ii) inviting the given unregistered user to register with the service by transmitting information representative of the further transaction (e.g., a vacation request or purchase order approval request) to the given unregistered user over the computer network (e.g., the internet), and (iii) registering the given unregistered user with the service in response to the invitation, by storing information representative of the given unregistered user in the database, thereby transforming the given unregistered user into a registered user. There can be numerous transactions that involve a non-registered user, prior to registration of that non-registered user.

In addition, as the database of the present invention is being constructed through transactions between registered and unregistered users resulting in further registration of users from the community with the service, the present invention also preferably stores information about the organizational relationships of existing users, whether registered or unregistered, by facilitating the initiation and completion of transactions between such users. Thus, further information representative of the organizational structure of the community of users is stored by repetition of the following step: creating a still further transaction record in the database from information inputted by a registered user initiating the still further transaction, wherein the still further transaction record includes at least one field representing an identity of a user, whether registered or unregistered, in the community required to approve the still further transaction, a field representing a role (e.g., requestor) of the registered user initiating the still

further transaction in the still further transaction, and a field representing a role (e.g., approver) of the user, whether registered or unregistered, in the still further transaction.

In accordance with a further aspect of the present invention, after the database is built using the methods described above, the database is queried in order to derive or map the organizational structure of the community of users. Thus, in the illustrative example, the transaction records corresponding to the transaction requests (e.g., the vacation requests and the purchase order requests) made by the employees of the business using the service are searched and processed in order to derive the organization structure of the business. This aspect of the invention makes certain assumptions such as, for example, that a person making a vacation request is lower on the reporting structure of a company than the person approving the request. It is noted, however, that such assumptions may be changed in the present invention. Using such assumptions and the "role" information stored in the transaction records, the present invention maps the organization structure of the users in the community (e.g., the reporting structure of the employees in the business). In addition, the present invention uses data base query techniques known in the art to query the information stored in the transaction records to map the work flow structure of the users in the community.

In accordance with a still further aspect, the present invention is able to predict the recipient or approver of certain transactions at the time that such transactions are being authored using information stored in the database from past transactions involving users in the same community. Thus, for example, if an employee from the company is authoring a vacation request, the system uses the information stored in the database to predict the person that should receive the request for approval. In a particularly preferred aspect, where a particular user making a vacation request has, for example, not made a previous vacation



request, the present invention predicts the identity of the user, whether registered or unregistered, in the community required to approve the vacation request by querying the database to identify a peer of the user making the vacation request, and then selecting a manager of the peer as the user, whether registered or unregistered, in the community  
5 required to approve request. The present invention then populates the approver field of the vacation request at the time that it is being created with the predicted approver.

In accordance with a still further aspect of the present invention, the method for building a database that stores information representative of an organizational structure of a  
10 community of users of a computer network includes the steps of storing information representative of a first user from the community in the database, wherein a computer applications service records initiation and completion of transactions between users in the community, creating a first transaction record in the database from information inputted by the first user, wherein the first transaction record includes at least one field representing an  
15 identity of a second user in the community, a field representing a role of the first user in the first transaction, and a field representing a role of the second user in the first transaction, transmitting information representative of the first transaction to the second user, and storing further information representative of the organizational structure of the community of users by creating a further transaction record in the database from information inputted by a user  
20 initiating the further transaction, wherein the further transaction record includes at least one field representing an identity of a user in the community required to act on the further transaction, a field representing a role of the user initiating the further transaction in the further transaction, and a field representing a role of the user acting on the further transaction

in the further transaction, and repeating the additions to the further transactions record as new transactions occur.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

The features, objects and advantages of the present invention will become  
5 more apparent from the detailed description set forth below when taken in conjunction with  
the drawings in which like reference characters identify corresponding elements and wherein:

Figure 1A is a block diagram showing the components of a system for deriving or  
mapping the organizational structure and work flow of a community of users, in accordance  
with a preferred embodiment of the present invention;

10 Figure 1B illustrates an exemplary invitation email sent in the present invention;

Figure 1C illustrates an exemplary display of a blank request for action for use in the  
present invention;

Figure 1D illustrates an exemplary display of a blank vacation request for use in the  
present invention;

15 Figure 1E illustrates an exemplary display of a blank travel request for use in the  
present invention;

Figure 1F illustrates an exemplary display of a blank purchase request for use in the  
present invention;

Figure 1G illustrates an exemplary display of a blank expense report for use in the present invention;

Figure 1H illustrates an exemplary display of the menus of the present invention;

Figure 1I illustrates another embodiment of an exemplary display of the menus of the present invention;

Figure 1J illustrates an exemplary display of a completed transaction in the present invention;

Figure 2A illustrates the structures of four tables that are used in the database of the present invention to store information about each user in a community;

Figure 2B illustrates an account summary for use with the present invention;

Figure 3A illustrates the structure of two tables that are used in the database of the present invention to store information about a particular type of transaction (i.e., a vacation request) between users in the community;

Figure 3B illustrates the structure of two tables that are used in the database of the present invention to store information about a further particular type of transaction (i.e., a purchase order request) between users in the community;

Figure 4 illustrates the structure of four tables that are used in the database of the present invention to store transaction records representing each transaction that is initiated by a user in a community;

Figure 5A is a flow chart of a system for registering a user on the applications service of the present invention, and for initiating a transaction authored by the user using the applications service of the present invention;

5      Figure 5B illustrates an exemplary display of a user registration form for use in the present invention;

Figure 5C illustrates an exemplary travel request transacted using the present invention;

10      Figure 6 is a flow chart of a system for tracking the identity of a third-party web site that referred or attracted the first user of a community to the applications service of the present invention;

Figure 7 is a flow chart showing how entries in the E\_Security table (shown in Figure 2A) are updated for previously registered users in the community when a new user from the community registers on the online applications service of the present invention;

15      Figure 8 is a flow chart of a system for querying the database of the present invention in order to derive a map of the organizational structure of the community (i.e., to map the relative hierarchy between the users of a community);

Figure 9A is a flow chart of a system for querying the database of the present invention in order to derive a map of the work flow between users in the community; and

Figure 9B is an exemplary display of an account history used in the present invention.

**DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

It is to be understood that the figures and descriptions of the present invention have been simplified to illustrate elements that are relevant for a clear understanding of the present invention, while eliminating, for purposes of clarity, many other elements found in a typical database system. Those of ordinary skill in the art will recognize other elements which are necessary and/or desirable for implementing the present invention. However, because such elements are well known in the art, and because they do not facilitate a better understanding of the present invention, a discussion of such elements is not provided herein.

Referring now to Figure 1A, there is shown a block diagram illustrating the components of a system 100 for mapping the organizational structure and work flow of a community of users, in accordance with a preferred embodiment of the present invention. In system 100, various communities of users 102a, 102b, ... are coupled to on-line applications service 108 via computer network 106 (e.g., the internet). In one embodiment, on-line applications service 108 is implemented as a site on the internet. Each user from one of the communities communicates with applications service 108 using a personal computer or workstation (not shown) coupled to network 106, but the users could also access the system from other devices such as voice response systems and personal digital assistants. The on-line applications service 108 includes at least one server 114 that includes software for implementing the methods discussed herein, including the procedures shown in Figures 5-9. In addition, the on-line applications service 108 includes at least one database 118 that stores

the information discussed herein, including the information represented by the tables shown in Figures 2-4 herein.

Each community 102a, 102b, ... is a group of two or more people who are connected through a computer network 106, and who would have a need or desire to interact in order to complete transactions. A single user may be a member of multiple communities 102a, 102b..., and will maintain the same identification across all communities. The computer network 106 may be, for example, the Internet, a commercial network, an intranet, a local area network, or a wide area network. An example of a community is a group of users that interact with one another in connection with the operation of a given business or industry.

This community of users might include, for example, employees of the given business, as well as contractors, subcontractors, consultants, vendors, suppliers or customers of the business. In this example, some of the transactions that the persons in the community might initiate with each other would include, for example, a vacation request that one employee makes to his/her supervisor, a purchase order request that an employee makes to his/her supervisor, electronic submission of an invoice for payment from an outside consultant or vendor to an employee of the company, a time card submission from an employee of the company to another employee in the company's accounting department, etc. It will be understood by those skilled in the art that many other types of transactions other than those just enumerated may be performed between users in a community, and the list enumerated above should therefore be considered only illustrative and not limiting with respect to the scope of the present invention. In addition, it will be understood by those skilled in the art that a business is only one type of community to which the present invention may be applied,

and that there are numerous other types of communities to which the present invention may be applied, such as workgroups within a company or workgroups between companies.

A person in a community 102 may be referred to as a user, and the number of users making up a given community can change at any time. Each user in a given community will either be registered or unregistered with the computer applications service 108 at any given time. Initially, only one user from a given community will typically be registered with service 108. An unregistered user from the community will typically become a registered user when the unregistered user responds to an invitation from a registered user. This invitation comes in the form of the registered user naming the unregistered user as the second necessary party in a transaction (e.g., when the registered user makes a vacation request to the unregistered user). For example, when an unregistered user is invited, that invitee may receive email inviting him to register, such as the email shown in Figure 1B. Once the user responded to the invitation by registering, he would have the option to accept or reject the requested transaction. As explained more fully below, the present invention then uses further transactions initiated by registered users in the community to invite further users from the community to service 108. As such, further users are invited onto the service, and typically register with the service, thereby increasing the number of users from the community that are registered with the service.

The computer applications service 108 of Figure 1A provides at least one software application for use by a registered user from a community. For example, a software application may include a program that the registered user can run on service 108 in order to generate, for example, a vacation request or purchasing request to be submitted to a superior, a time card to be submitted to a company's accounting department, or a meeting scheduling

request to be submitted to a co-worker. Alternatively, the request may be for any generic action by a third party as requested by the user. Until a request is completed, the request may be presented as a blank form or a prefilled form in an html language, such as those shown in Figures 1C (Action Item Request), 1D (Vacation Request), 1E (Travel Request), 1F (Purchase Request), and 1G (Expense Report). Each such vacation or purchasing request, time card submission, meeting request, etc., is referred to herein as a transaction or a transaction request. These forms may include tracking numbers, such as that shown in Figure 1G, to aid in the tracking of a transaction. It will be understood by those skilled in the art that many transactions (other than those enumerated herein) may be implemented using the present invention.

The present invention may additionally allow a registered user to track the progress of past, pending, or current transactions. For example, as is illustrated in Figures 1H and 1I, the user can track "Action Items", which are then-current transactions (see Figure 1H), "Items Waiting On", which are items that have invited a response from a third party, which response is then-pending, or "Completed Items", which includes completed transactions both by and for the user (see Figure 1I). The item may be completed by a rejection by an approver of a request, such as a purchase request, or by the user. When the status of such a completed transaction is tracked by selecting the transaction in Figure 1I, the specifics of the transaction may be displayed to the user, as is shown in Figure 1J. This display would be the same, after selection from the "Completed Items" menu, for both the requester and the approver from within the respective accounts.

Figures 2-4 are block representations illustrating database 118 as a database having several data tables, such as user data tables 200, application data tables 300A and 300B, and



application task manager data tables 400. Referring specifically to Figure 2, there is shown the structures of four tables that are used in the database of the present invention to store information about each user in a community. Entity table 250 stores a unique record (formed of fields 254A and 254D) for each user in a community. In particular, the present invention stores a unique identifier, such as a Universally Unique Identification ("UUID") in field 254A for each user that registers or is invited to register on service 108. Field 254D contains an owner identification value, which is typically set to 0 at the time that the entity identification is created.

Each field in relationship table 260 includes information representing a snapshot of the last transaction authored by that user of the service that referenced that particular role. Thus, for example, if the last transaction requested by a given user was a vacation request that the given user made to his/her superior, the present invention assumes that the person to whom the vacation was sent was the given user's manager, and the identity of this person is stored in manager\_id field 264B. In addition, to the extent that the previous transaction authored by the given user involved an accounting reference (e.g., if the last transaction was a timecard submission made by the given user to an employee in the company's accounting department), the identity of that accounting reference is stored in accounting\_id field 264C. Similarly, to the extent that the user's previous transaction involved an office manager or a human resource director, the identity of such persons will be stored in fields 264D and 264E. A previous relation snapshot will exist only where the given user is a previously registered user of service 108. The other user (e.g: manager, accounting employee, office manager, or human resource director) in the relation snapshot may be registered or unregistered.

Numerous role fields other than those shown may be present, such as that user's CEO, lawyer, doctor, or broker.

An entry in the E\_contact table 230 is created for each user at the time that a user registers with service 108. However, the fields in table 230 are not filled in at the time of registration. Rather, the fields on this table are filled using information that the user inputs into the system in connection with the authoring of transactions by the user. The fields in table 230 in essence store contact information such as the home and work addresses, phone numbers and fax numbers of a given user. Such information may be stored in an account summary accessible to the user, and available to the user at all times during a logged in session, such as the account summary shown as Figure 2B. Such account summary information is preferably variable by the user at any time, and may include general personal information, password information, email options, and access to the history of the account. As the fields of table 230 in Figure 2A become populated through the use of the service by a given user, service 108 automatically retrieves previously stored information from table 230 during the authoring of a transaction and automatically places such information into the transaction request so that the user does not have to re-enter information (such as the user's address, etc.) when authoring subsequent transactions.

An entry in E-Security table 240 is created (if it does not already exist because the user was previously invited) and all fields in each such entry are filled in when a user registers with service 108. These fields relate to the user security status. Exemplary fields include an e\_status\_id field 244D which indicates whether the user is registered, invited, or disabled (an entry in entity table 250 is created for an invited user at the time that the user is invited to service 108, and various fields in the table are then filled in for the invitee at

registration), fields confirming verification of the user's email address (fields 244E and 244G), and a field representing the number of registered users that resulted from direct invitations made by the user (field 244K). Fields 244J, 244M, 244N, and 244O store information relating to the lineage of a particular user (i.e., the chain of prior registered users through which the user was invited onto service 108). A first user would receive a level 0 at step 244J, signifying that the first user was not invited. Subsequent users would receive incremental numbers assigned at 244J. For example, the first invited user would receive a 1 at 244J, the first invited user would then invite a second, who would receive a 2 at step 244J, and so on. Step 244M maintains a record of common lineage of the first and subsequent invited users. For example, a code would be assigned at step 244M which would signify the lineage of a common referring site identification. Each subsequent invitee would then share the same value in field 244M. Fields 244N, and 244O maintain a record of the total numbers of users invited and registered in a particular lineage signified by 244M.

Referring now to Figure 3A, there is shown the structure of two tables that are used in database 118 to store information about a particular type of transaction (i.e., a vacation request) between users in the community. Figure 3A is exemplary only, and is not limited to the specific fields or application shown. In Figure 3A, an entry is created in table 320 for each vacation request authored by a user on service 108. Each entry in table 320 includes a field 324A that identifies the user that is authoring the transaction, and a field 324B that identifies a task identification number associated with the transaction (this field is discussed further in connection with table 440 below). In the vacation request example, field 324F is the vacation length requested in days. In an alternative embodiment, the form may be, but is not limited to, a purchase order request, such as that shown in Figure 3B. Fields 324J, 324K

and 324L represent other users in the community that will be involved in the particular transaction, in this case the vacation request. These fields will, for example, hold the identification numbers of the users in the community that must approve the vacation request. For some vacation requests, such as those that are particularly long, a chain of persons may  
5 be required to approve the request. The approval chain is involved where multiple superior parties to a user must assent to an action, and those assents are to be obtained in a prioritized order (President, Vice President, Treasurer, for example). For each such approver in the chain, there is a separate entry in VR\_Contact table 340 which, among other things, stores the rank in the approval chain of each such person for the given transaction.

10 Referring now to Figure 4, there is shown the structure of four tables that are used in database 118 to store transaction records representing each transaction that is initiated by a user. For each transaction authored by a given user, a single entry is created in tm\_task table 450 and an entry is created in tm\_task\_common table 420. Each transaction will typically involve the user authoring the transaction and one or more other users. Each of these persons  
15 is referred to as a "member" of the transaction. For any given transaction, a separate entry is created in tm\_member\_common table 410 for each member of the transaction. Similarly, for any given transaction, a separate entry is created in tm\_member table 440 for each member of the transaction.

In table 450, the task identification field 454A holds the same value as was stored in  
20 field 324B (discussed above). Field 454D is used to store the status of the transaction and will typically have a value corresponding to "completed" or "in-progress."

In table 420, the task identification field 424A holds the same value as was stored in field 324B (discussed above). Field 424B stores a value representing the specific type of transaction being created, e.g., a vacation request, a purchase order request, a time card submission, etc.

5           As mentioned above, an entry is created in table 410 for each member of each transaction. Thus, for a given transaction, there will be multiple entries in table 410. Field 414A contains a common\_id value that is unique to each transaction and is also stored in field 454B. Field 414B contains the user identification of a given member of the transaction. Field 414C defines role of a given member in the transaction. For example, this field will  
10   have a value corresponding to an approver, a manager, or a delegate, etc. The rank of the given user in the approval chain is stored in field 414D. Field 414D thus provides a ranking system in which the requestor, a registered user, would receive a rank of 0. The approver would then receive a rank of 1, a superior approver a rank of 2, and so on. Step 414H stores information on whether the request needs to be approved, rejected, or delegated. The rank of  
15   the user together with the identification of that user, provides a unique key combination, because one user can have multiple roles in the same transaction. Fields 414E and 414F are used to store information for providing reminders if desired and, if so, on what date. Although fields 414E and 414F are filled by the requestor of the vacation, these fields can later be modified by the receiver of the request.

20           Table 440 contains companion entries to those in table 410. Table 440 contains information on whether the task is done, and includes the assignment of a unique URL to each task member, as discussed above.

Referring now to Figure 5A, there is shown a flow chart of a system for registering a user on the applications service of the present invention, and for initiating a transaction authored by the registered user using the applications service of the present invention. A user reaches the service site 108 at step 502. Where network 106 is the internet (rather than an ERP operating within an organization), the user accesses the computer applications service 108 by inputting a universal resource identifier ("URI"), such as a universal resource locator ("URL"), of the computer applications service 108, or by clicking a hyperlink that takes the user to site 108. Steps 510 through 538 illustrate a user login procedure, whereby a user identification is assigned or recognized. If the user has not previously registered with the service at step 530, the user is directed to registration at step 510. At registration, the user may be presented with an interactive display requesting necessary registration information, such as the display shown in Figure 5A, for example. If the user has previously registered, the user is directed to step 532, discussed below. If the user is unregistered at step 530, the user then inputs unique user data, as discussed above with respect to Figure 2, at step 512. If the user data is not valid or complete (step 512), as determined by field E\_Mail 244C (a flag in this field is set if the service was unsuccessful in verifying the user's email address), the user is sent back to the user registration at step 510 to repeat step 510. If the e-mail address is secure (i.e. verified), but was not previously inputted to Security data table 240, field E\_Mail 244C, a new user identification number is issued to the user and stored at step 516, and the user is now registered.

Once a new user identification is assigned at step 516, the user is "branded" at step 518 (see step 602 of Figure 6). The purpose of branding is to track the original source, lineage and generation of the user. Branding confirms the status of a user as inviter or

invitee, and is discussed in detail with respect to Figure 6. After branding, the user returns to the registration process at step 524. The user registers at step 524 by selecting and confirming a password. The user is then logged into the computer applications service 108 at step 538.

5           Alternatively, if the user's e-mail address had been previously stored in Security data table 240 at step 514, the identity for the user is looked up in table 250 at step 520. If, at step 522, the identification for the user indicates the user did not previously register with the computer applications service 108, the user is then requested at step 524 to select and confirm a password, thus becoming registered.

10           If, at step 522, the identification for the user indicates that the user previously registered with the computer applications service 108, the user is presented with a login page at step 532 which requests the user's password. Alternatively, step 532 is reached directly if the user was registered at step 530. If, at step 534, the password and e-mail address inputted by the user correspond to the e-mail address and password for the user's identification in the  
15           table 240, then the user is logged in at step 538. If, however, at step 534, the password and e-mail address inputted by the user do not correspond to the e-mail address and password for the user's identification in the data table 240, the login page is presented again to the user, and the user returns to step 532.

          If the user at step 530 indicates he is a previously registered user, the user is presented  
20           with the login page at step 532 which requests the user's password. When, at step 534, the password and e-mail address inputted by the user correspond to the e-mail address and

password for the user's identification in the Security data table 240, the user is logged in at step 538.

After the user is logged in at step 538, the user may ask to log out at step 540, or the user may select a desired application from a list of offered applications at step 544. The list of offered applications may be displayed in the form of a menu, such as that shown along the left side of Figure 5B. For example, in the vacation request application, as represented in Figures 3A and 4, an "approver" of the vacation request is a required role reference, and the assigned role is that of an approver. If the application requires a role reference at step 550 of Figure 5, previous role references inputted by the user in previous transactions are looked up at step 552 in the data table 260. In the vacation request application example, the user's data table 260 is reviewed for a previous "approver," and, if one is found, the approver's e-mail address is pre-filled in the current application at step 544. This is shown in the pre-filled "Approver" field of Figures 1D and 1E. If no approver is found, the identity of the approver is predicted by querying the database to identify a peer of the registered user, and the approver of the peer is then selected as the approver of the registered user. These steps 550, 552, and 544 predict the next step in the use of the application. For example, the next step in a vacation request is to send it to the approver as designated by the user in a previous transaction. If the application does not require a role reference at step 550, the application is presented at step 554 without any pre-filled information.

At step 556, the selected application determines whether the user has referenced another user by reviewing the referenced user's e-mail address. If another user has been referenced at step 556, then the application determines at step 558 whether an identification exists for the referenced user by looking in data table 250. If no identification exists for the



referenced user, a new identification is assigned to the referenced user in step 560. A referenced user is a non-registered user having an identification, which non-registered user is referenced by a registered user in a selected application. The non-registered user then has the status of an invitee. An invitee can use the computer application service 108 once the invitee registers. By referencing a non-registered user in an application, a registered user becomes an inviter, and invites the non-registered user to register, as discussed with respect to Figure 7. After the referenced user has been invited at step 564, or an identification already exists for the referenced user at step 558, then the identification for the referenced user, and the user's role reference, are stored at step 562. The process of Figure 5 ends at step 564 with the transmission of a completed transaction request (e.g. a vacation request) from the user authoring the request to the identified approver, such as that shown in box 598 of Figure 5C. Upon receipt of the vacation request, the identified approver will be invited to register with the service 108 (if the approver was not previously registered), as more fully discussed below with respect to Figure 7, and may approve the request, or reject the request, as shown in box 599 of Figure 5C. The user may then log out at step 540 of Figure 5 and exit at step 542, or continue with another application by returning to step 544.

Referring now to Figure 6, there is shown a flow chart of a system for tracking the identity of each third-party web site that refers or attracts a user from a community to the applications service of the present invention. This process is branding, and is referenced above with respect to Figure 5A, occurring at step 518 of Figure 5. Branding is the process whereby a source identification ("SRCID") is assigned to a user, whether registered or non-registered, when the user is sent to the computer applications service 108 either from a third-party web site or by another registered user who was previously branded using the invitation

process discussed above. The purpose of branding is to track the original source, lineage and generation of the user.

The user enters the branding process at step 602, from step 518 of Figure 5A. The user's data in the E\_Invited\_By 244H field of the Security data table 240 is reviewed at step 604 to determine whether the user was invited by a registered user to register with the computer applications service 108. If the user was not invited to the service 108 by another registered user, this means that the user was referred by a third-party web site. In that case, the system checks (at step 614) the information received from the referring web site to determine whether the referring web site is a partner of the service 108. If so, the SCRID field 244M for the user is set to a value that corresponds to the identity of the referring partner in step 616. In addition, the E\_Number\_Invited 244I and E\_Organic\_total\_invited 244N fields for the user are initialized to zero. Field 244I is then incremented for a given user as each successive new user is directly invited to service 108 by that given user. Field 244N is incremented for a given user each time a new user is invited to service 108, either directly by the given user, or indirectly through another user having an invitation lineage that traces back to the given user. Alternatively, if the user was invited by another registered user to register, the inviter's invited registrations count (E\_Number\_Invited 244I) is incremented by 1, at step 608. In addition, the SCRID field 244M of the user is set to the value stored in the SCRID field 244M of the user's inviter. The first registered user along the then-current lineage, who is the original inviter along that lineage, has the original inviter's count incremented by 1 in the inviter's field E\_Organic\_Total\_Invited 244N, at step 610. Further, each user along the lineage will also have their respective field E\_Organic\_Total\_Invited

244N incremented by 1 at step 610. The user then returns to the registration process at step 524 in Figure 5A.

If, at step 604, a given user was not invited to register, the given user's generation (stored in E\_Invitation\_Level 244J field) is set to zero and the E\_Original\_Invitor 244L field for the given user is filled with the identification number of the given user, at step 612. If an SRCID was received for the user at step 614, then the user's SRCID is set to the third party web site's SRCID at field SRCID 244M in the E\_Security data table 240 at step 616. The user then continues with the registration process at step 524 of Figure 5A. If an SRCID was not received for the user at step 714, the user continues with the registration process at step 524 of Figure 5A.

Referring now to Figure 7, there is shown a flow chart illustrating how entries in the E\_Security table (shown in Figure 2A) are updated for previously registered users in the community when a new user from the community registers on the online applications service of the present invention. After a new identification is assigned to the referenced user at step 560 in Figure 5A, the data for registered user's SRCID, original inviter, and generation are obtained from the registered user's E\_Security data table 240, at step 704. At step 706, the registered user's invited count is incremented by 1 in field E\_Number\_Invited 244I. At step 708, the original inviter's invitee count is incremented by 1 in field E\_Organic\_Total\_Invited 244N, as discussed above with respect to Figure 6. The invitee's SRCID is then set to the inviter's SRCID at step 710 and the invitee's rank is set to the inviter's generation plus 1, at step 712. At step 714, the invitee's inviter identification is set to the inviter's identification. At step 716, the invitee's original inviter identification is set to the inviter's original inviter identification. The invitee is then sent an invitation by e-mail to register with the computer

applications service 108. The inviter is then returned to the registration process at step 718, at step 562 of Figure 5A.

Referring now to Figure 8, there is shown a flow chart of a system for querying the database of the present invention in order to derive a map of the organizational structure of the community (i.e., to map the relative hierarchy between the users of a community). The query is issued at step 802, as a request for the organizational hierarchy. At step 804, the starting user identification is inputted. The starting user identification is the user around whom the organizational hierarchy is to be obtained by the query. At step 806, it is decided whether the inputted user has a manager, by checking for an entry in field 260. If field 260 is populated, the user's manager is loaded at step 808, and, if the manager is not already on the stack at step 810, the manager is added to the stack at step 814, and the query returns to step 806. The manager then becomes the current user at step 806. If the manager is already on the stack, then the identified manager is both a superior and subordinate of the named user, and an organizational loop error has occurred. This causes a cessation of the query at step 812.

If the current inputted user does not have a manager at step 806, the current user is the top level manager, and the temporary stack is cleared at step 816. A listing is then generated of users who are managed by the current inputted user at step 818, and those users are added to the temporary stack. If the temporary stack is empty at step 820, then the Master List of the complete organization has been generated at step 822.

If the temporary stack is not empty at step 820, the first user is taken from the temporary stack at step 824. This first user is removed from the temporary stack at step 826, and is checked against the master list at step 828. If the then-current user has already been

added to the master list at step 828, then the routine returns to step 824, and the next user is taken from the temporary stack. If the then current user has not been added to the master list at step 828, the then current user is added to the master list, with reference to the manager referenced at step 818, at step 830, and the routine returns to step 818.

5 Referring now to Figure 9A, there is shown a flow chart of a system for querying the database of the present invention in order to derive a map of the work flow between users in the community. Workflow may be available to the user in a tabulated form, such as that shown in Figure 9B. Such a workflow tabulation, when pertaining only to the particular user, may be termed an "Account History", as shown in Figure 9B. The workflow query is issued  
10 at step 902 in Figure 9A. The master list of the organization, as discussed with respect to Figure 8, is called at step 904, and the first user on the organizational list is selected, at step 906. The contacts for that then-current user are extracted from field 260 at step 908, and an application list is loaded for that then-current user at step 908. The application list includes all tasks which have been initiated by the then-current user, and is generated by reviewing the  
15 rank of the then-current user with respect to each task. If there is no application on the application list for the then-current user at step 910, a query is issued at step 928 as to whether there is another user available on the master organization list. If there is not another user, then all users on the master list have had workflow mapped, and the present workflow table is thus the master table at step 932. The process is complete at step 934. If there is  
20 another user, that next user on the master list is selected as the then-current user at step 1030, and the query returns to step 908.

Once there is an application at step 910, the first contact is selected from table 260 at step 912. The presence of a relationship of that contact to the then-current user is assessed at

step 914. If a relationship does exist, it is extracted from table 260 at step 918, and the query proceeds to step 920. If no relationship exists, the relationship is set to "Unknown" at step 916, and the query proceeds to step 920. At step 920, the contact, relationship, and transaction data are stored on the temporary workflow stack.

5           Step 922 inquires whether there is another contact present in table 260 for the then-current user. If there is, the routine returns to step 914. If there is not another contact at step 922, a copy of the temporary workflow stack is added to the master workflow stack, with reference to the then-current user, at step 924, and the temporary workflow stack is cleared at step 926. The next application is then selected, and the routine returns to step 910.

10           Those of ordinary skill in the art will recognize that many modifications and variations of the present invention may be implemented. The foregoing description and the following claims are intended to cover all such modifications and variations.

**CLAIMS**

What is claimed is:

1. A method for building a database that stores information representative of an organizational structure of a community of users of a computer network, comprising the steps

5 of:

(A) registering a first user from the community on a computer applications service by storing information representative of the first user in the database, wherein the computer applications service records initiation and completion of transactions between users in the community;

10 (B) automatically generating a first transaction record in the database from information inputted by the first registered user, wherein the first transaction record includes at least one field representing an identity of a first unregistered user in the community, a field representing a role of the first registered user in the first transaction, and a field representing a role of the first unregistered user in the first transaction; and

15 (C) inviting the first unregistered user to register with the service by transmitting information representative of the first transaction to the first unregistered user.

2. The method of claim 1, further comprising the step of:

(D) registering the first unregistered user with the service, in response to a reaction of the first unregistered user to the inviting step, by storing information representative of the

first unregistered user in the database, thereby transforming the first unregistered user into a second registered user.

3. The method of claim 2, further comprising the step of:

(E) registering further users from the community with the service by:

5 (i) creating a further transaction record in the database from information inputted by a given registered user, wherein the further transaction record includes at least one field representing an identity of a given unregistered user in the community, a field representing a role of the given registered user in the further transaction, and a field representing a role of the given unregistered user in the further transaction;

10 (ii) inviting the given unregistered user to register with the service by transmitting information representative of the further transaction to the given unregistered user;

(iii) registering the given unregistered user with the service, in response to a reaction of the given unregistered user to the inviting step (D)(ii), by storing information  
15 representative of the given unregistered user in the database, thereby transforming the given unregistered user into a registered user; and

(iv) repeating steps (i) to (iii).

4. The method of claim 3, further comprising the step of:



(F) storing further information representative of the organizational structure of the community of users by:

(i) creating a still further transaction record in the database from information inputted by a registered user initiating the still further transaction, wherein the still further transaction record includes at least one field representing an identity of a registered user in the community required to approve the still further transaction, a field representing a role of the registered user initiating the still further transaction in the still further transaction, and a field representing a role of the registered user initiating the still further transaction in the still further transaction; and

(ii) repeating step (i).

5. The method of claim 4, further comprising the step of:

(G) after steps (A)-(F), mapping the organizational structure of the community of users by querying the database.

6. The method of claim 5, further comprising the step of:

(H) after steps (A)-(G), mapping a work-flow structure of the community of users by querying the database.

7. The method of claim 4, wherein step (F)(i) further comprises:

predicting an identity of the registered user in the community required to approve the still further transaction by querying the database to identify a peer of the

registered user initiating the still further transaction, and then selecting a manager of the peer as the registered user in the community required to approve the still further transaction.

8. The method of claim 4, further comprising the step of:

(G) branding the first user as being an invitee of a third party service, wherein the

5 first user is invited by the third party service; and

(H) branding each user registered at step (E)(iii) as being an indirect invitee of the third party service.

9. The method of claim 4, wherein the community of users corresponds to a set of employees associated with a particular business.

10 10. The method of claim 9, wherein the first transaction corresponds to a vacation request made by the first registered user to the first unregistered user, wherein the role of the first registered user in the first transaction corresponds to a transaction requestor, and the role of the first unregistered user in the first transaction corresponds to a transaction approver.

11. The method of claim 9, wherein the first transaction corresponds to a purchase  
15 order request made by the first registered user to the first unregistered user, wherein the role of the first registered user in the first transaction corresponds to a transaction requestor, and the role of the first unregistered user in the first transaction corresponds to a transaction approver.

12. A system for building a database that stores information representative of an  
20 organizational structure of a community of users of a computer network, comprising:

a server that registers a first user from the community on a computer applications service by storing information representative of the first user in the database, wherein the computer applications service facilitates initiation and completion of transactions between users in the community;

5            wherein the server creates a first transaction record in the database from information inputted by the first registered user, the first transaction record including at least one field representing an identity of a first unregistered user in the community, a field representing a role of the first registered user in the first transaction, and a field representing a role of the first unregistered user in the first transaction;

10           wherein the server invites the first unregistered user to register with the service by transmitting information representative of the first transaction to the first unregistered user; and

             wherein the server registers the first unregistered user with the service, in response to a reaction of the first unregistered user to receipt of the information representative of the first transaction, by storing information representative of the first unregistered user in the database, thereby transforming the first unregistered user into a second registered user.

15

13.    A system for building a database that stores information representative of an organizational structure of a community of users of a computer network, comprising:

(A)    means for registering a first user from the community on a computer applications service by storing information representative of the first user in the database,

20

wherein the computer applications service facilitates initiation and completion of transactions between users in the community;

(B) means for creating a first transaction record in the database from information inputted by the first registered user, wherein the first transaction record includes at least one  
5 field representing an identity of a first unregistered user in the community, a field representing a role of the first registered user in the first transaction, and a field representing a role of the first unregistered user in the first transaction;

(C) means for inviting the first unregistered user to register with the service by transmitting information representative of the first transaction to the first unregistered user;

10 and

(D) means for registering the first unregistered user with the service, in response to a reaction of the first unregistered user to the inviting step, by storing information representative of the first unregistered user in the database, thereby transforming the first unregistered user into a second registered user.

15 14. A method for building a database that stores information representative of an organizational structure of a community of users of a computer network, comprising the steps of:

(A) storing information representative of a first user from the community in the database, wherein a computer applications service records initiation and completion of  
20 transactions between users in the community;

(B) creating a first transaction record in the database from information inputted by the first user, wherein the first transaction record includes at least one field representing an identity of a second user in the community, a field representing a role of the first user in the first transaction, and a field representing a role of the second user in the first transaction;

5 (C) transmitting information representative of the first transaction to the second user; and

(D) storing further information representative of the organizational structure of the community of users by:

(i) creating a further transaction record in the database from information  
10 inputted by a user initiating the further transaction, wherein the further transaction record includes at least one field representing an identity of a user in the community required to approve the further transaction, a field representing a role of the user initiating the further transaction in the further transaction, and a field representing a role of the user initiating the further transaction in the further transaction; and

15 (ii) repeating step (i).

15. A system for building a database that stores information representative of an organizational structure of a community of users of a computer network, comprising:

(A) means for storing information representative of a first user from the community in the database, wherein a computer applications service records initiation and  
20 completion of transactions between users in the community;

(B) means for automatically generating a first transaction record in the database from information inputted by the first user, wherein the first transaction record includes at least one field representing an identity of a second user in the community, a field representing a role of the first user in the first transaction, and a field representing a role of the second user in the first transaction;

(C) means for transmitting information representative of the first transaction to the second user; and

(D) means for storing further information representative of the organizational structure of the community of users, said means for storing further information including:

(i) means for creating a further transaction record in the database from information inputted by a user initiating the further transaction, wherein the further transaction record includes at least one field representing an identity of a user in the community required to approve the further transaction, a field representing a role of the user initiating the further transaction in the further transaction, and a field representing a role of the user initiating the further transaction in the further transaction; and

(ii) means for repeating step (i).




FIG. 1A

2/23

From: XXXXXXXX @XXXX.com  
Sent: Monday, October 11, 1999 4:33 PM  
To: XXXXXXXXXXXXXXXX  
Subject: Purchase Request

This message is from Freeworks.com on behalf of XXXX, who has submitted a Purchase Request to you.

To view and take action on this item, register for Freeworks.com FREE services at:  
[http://www.freeworks.com/user/userReg.asp?verifyid=\\_\\_\\_\\_\\_&CODE=INVITE](http://www.freeworks.com/user/userReg.asp?verifyid=_____&CODE=INVITE)

Upon registering, you'll be able to get started with Purchase Request right away.

Why Freeworks.com?

Reduce the time and hassle of everyday paperwork with Freeworks.com, a new FREE service! Freeworks.com acts as your 24-hour-a-day personal assistant by taking care of the filling out, filing, and distribution of your paperwork.

Freeworks.com helps you rocket through paperwork with:

- \* Preset forms that complete themselves. Everything from expense reports and vacation requests to sick days and time tracking is point-and-click simple.

- \* Automatic distribution of forms. Receipt, review and approval have never been easier! Let Freeworks.com handle it all automatically via e-mail!

- \* Tracks work automatically. See the status of your work and work assigned to others—all in one view.

- \* Easy for you. Nothing new to learn, no complicated sign-on, no hidden costs. Just do business as you do now and we handle the paperwork.

- \* It's for everyone! From office managers to the finance and sales departments—anyone in your office can use Freeworks.

Register for your free personal Freeworks.com account now and start getting through your paperwork in a snap:  
[http://www.freeworks.com/user/userReg.asp?verifyid=\\_\\_\\_\\_\\_&CODE=INVITE](http://www.freeworks.com/user/userReg.asp?verifyid=_____&CODE=INVITE)

Thanks,

The Freeworks.com Team



3/23




			
October 13, 1999		<a href="#">logout</a>	
<b>My Freeworks</b>		 <b>Assign an Action Item</b>	
<b>Report A Bug</b>			
<b>Get It done...</b>			
<a href="#">Add a To-Do</a>			
<a href="#">Assign an Action Item</a>			
<a href="#">Employee List</a>			
<a href="#">Expense Report</a>			
<a href="#">Purchase Request</a>			
<a href="#">Travel Request</a>			
<a href="#">Vacation Request</a>			
<b>Tell a Friend</b>			
		<input type="checkbox"/> <b>*Required Field</b>	
		<input type="button" value="Assign"/> <input type="button" value="Cancel"/>	
<b>Resources</b>			
<a href="#">Finance</a>			
<a href="#">Human Resources</a>			
<a href="#">Legal</a>			
<a href="#">Management Office</a>			
<a href="#">Management Sales &amp; Marketing</a>			
<a href="#">Vendor Management</a>			
<b>Site</b>			
<a href="#">Help &amp; Support</a>			
<a href="#">My Account</a>			
<a href="#">Logout</a>			
© 1999 BCDS, Inc. <a href="#">Your Privacy</a>   <a href="#">About Us</a>   <a href="#">Jobs@ Freeworks.com</a>			
By accessing and using this site you agree to our <a href="#">Terms of Service</a> .			

FIG. 1C

4/23







		<b>Because you can't expense the time that you spend filling out expense reports.</b>			
October 13, 1999				<a href="#">logout</a>	
<b>My Freeworks</b>		 <b>Vacation Request</b>			
<b>Report A Bug</b>					
<b>Get It done...</b>					
<a href="#">Add a To-Do</a>					
<a href="#">Assign an Action Item</a>					
<a href="#">Employee List</a>					
<a href="#">Expense Report</a>					
<a href="#">Purchase Request</a>					
<a href="#">Travel Request</a>					
<a href="#">Vacation Request</a>					
<b>Tell a Friend</b>					
<b>Resources</b>					
<a href="#">Finance</a>					
<a href="#">Human Resources</a>					
<a href="#">Legal</a>					
<a href="#">Management Office</a>					
<a href="#">Management Sales &amp; Marketing</a>					
<a href="#">Vendor Management</a>					
<b>Site</b>					
<a href="#">Help &amp; Support</a>					
<a href="#">My Account</a>					
<a href="#">Logout</a>					
		<b>Brief description:</b> <input type="text"/>			
		<b>Vacation type:</b> <input checked="" type="radio"/> <b>normal vacation</b> <input type="text"/> <input type="button" value="v"/>			
		<input type="radio"/> <b>Other:</b> <input type="text"/>			
		<b>Vacation start:</b> <input type="text" value="Oct"/> <input type="text" value="14"/> <input type="text" value="1999"/> <input type="button" value="v"/>			
		<b>Vacation end:</b> <input type="text" value="Oct"/> <input type="text" value="15"/> <input type="text" value="1999"/> <input type="button" value="v"/>			
		<b>Total days of vacation used:</b> <input type="text"/>			
		<b>Approver:*</b> <input type="text" value="XXXXX @ XXXX.com"/>			
		<b>Approval needed:</b> <input type="text" value="Oct"/> <input type="text" value="13"/> <input type="text" value="1999"/> <input type="button" value="v"/>			
		<b>High priority:</b> <input type="checkbox"/>			
		<b>Note:</b>			
		<input type="button" value="v"/>			
		<b>*Required Field</b> <input type="button" value="Assign"/> <input type="button" value="Cancel"/>			
<p>© 1999 BCDS, Inc.    <a href="#">Your Privacy</a>   <a href="#">About Us</a>   <a href="#">Jobs@ Freeworks.com</a></p> <p>By accessing and using this site you agree to our <a href="#">Terms of Service</a>.</p>					

FIG. 1D

5/23




October 13, 1999 [logout](#)

**My Freeworks**  **Travel Request**

**Report A Bug**

**Get It done...**

- [Add a To-Do](#)
- [Assign an Action Item](#)
- [Employee List](#)
- [Expense Report](#)
- [Purchase Request](#)
- [Travel Request](#)
- [Vacation Request](#)

**Tell a Friend** 

**Resources**

- [Finance](#)
- [Human Resources](#)
- [Legal](#)
- [Management Office](#)
- [Management Sales & Marketing](#)
- [Vendor Management](#)

**Site**

- [Help & Support](#)
- [My Account](#)
- [Logout](#)

Brief description:\*

Purpose: ☒ Conference/workshop  ☐ Other:

Travel start:

Travel end:

Total days:

Destination:

Estimated cost: \$  [include airfare, hotel, meals, registration, etc.]

Approver:\*

Approval needed:

High priority: ☐

Note:



\*Required field

© 1999 BCDS, Inc. [Your Privacy](#) [About Us](#) [Jobs@ Freeworks.com](#)


By accessing and using this site you agree to our [Terms of Service](#).

FIG. 1E

6/23




October 13, 1999 [logout](#)

**My Freeworks**  **Purchase Request**

**Report A Bug**

**Get It done...**  
[Add a To-Do](#)  
[Assign an Action Item](#)  
[Employee List](#)  
[Expense Report](#)  
[Purchase Request](#)  
[Travel Request](#)  
[Vacation Request](#)

**Tell a Friend** 

**Resources**  
[Finance](#)  
[Human Resources](#)  
[Legal](#)  
[Management Office](#)  
[Management Sales & Marketing](#)  
[Vendor Management](#)

**Site**  
[Help & Support](#)  
[My Account](#)  
[Logout](#)

**Step 1: Request Information**

**Purpose:\***

**Project/Account:**

**Approver:\***

**Needed by:**

**High priority:** ☐

**Note:**

☐ **\*Required field** [Step 2: Add Items>>](#)

© 1999 BCDS, Inc. [Your Privacy](#) [About Us](#) [Jobs@ Freeworks.com](#)

By accessing and using this site you agree to our [Terms of Service](#).

FIG. 1F

7/23






		<b>Because you can't expense the time that you spend filling out expense reports.</b>			
October 13, 1999				<a href="#">logout</a>	
<b>My Freeworks</b>		 <b>Expense Report</b>			
<b>Report A Bug</b>		<b>Step 1: Report Information</b>			
<b>Get It done...</b>		Purpose of expenditure:* <input type="text"/>			
<a href="#">Add a To-Do</a>		Expense report date: <input type="text" value="Oct"/> <input type="text" value="13"/> <input type="text" value="1999"/>			
<a href="#">Assign an Action Item</a>		Employee name: <input type="text"/>			
<a href="#">Employee List</a>		Phone number: <input type="text"/>			
<a href="#">Expense Report</a>		Company name: <input type="text"/>			
<a href="#">Purchase Request</a>		Department: <input type="text"/>			
<a href="#">Travel Request</a>		Project: <input type="text"/>			
<a href="#">Vacation Request</a>		Cash Advance: \$ <input type="text" value="0.00"/>			
<b>Tell a Friend</b>		Notes: <input type="text"/>			
<b>Resources</b>		Tracking number: <input type="text" value="FW-XXXXXXXXXX-110051"/>			
<a href="#">Finance</a>		You can use the unique tracking number provided or replace it with you			
<a href="#">Human Resources</a>		*Required Field <input type="text" value="Step 2: Itemized Expenses &gt;&gt;"/>			
<a href="#">Legal</a>					
<a href="#">Management Office</a>					
<a href="#">Management Sales &amp; Marketing</a>					
<a href="#">Vendor Management</a>					
<b>Site</b>					
<a href="#">Help &amp; Support</a>					
<a href="#">My Account</a>					
<a href="#">Logout</a>					
© 1999 BCDS, Inc. <a href="#">Your Privacy</a>   <a href="#">About Us</a>   <a href="#">Jobs@ Freeworks.com</a>					
By accessing and using this site you agree to our <a href="#">Terms of Service</a> .					

FIG. 1G

8/23



Because you can't expense the time that  
 you spend filling out expense reports.



October 11, 1999 [logout](#)

**My Freeworks**  
 0 New  
 0 Overdue

**Create new...**  

[Action Item](#)
[Expense Report](#)
[Travel Request](#)

[To-Do](#)
[Purchase Request](#)
[Vacation Request](#)

**Report A Bug**

**Get It done...**  
[Add a To-Do](#)  
[Assign an Action Item](#)  
[Employee List](#)  
[Expense Report](#)  
[Purchase Request](#)  
[Travel Request](#)  
[Vacation Request](#)

**Resources**  
[Finance](#)  
[Human Resources](#)  
[Legal Management](#)  
[Office Management](#)  
[Sales & Marketing](#)  
[Vendor Management](#)

**Site**  
[Help & Support](#)  
[My Account](#)  
[Logout](#)

**Employee Lists**  
[Create New List](#)


**My Action Items** | **Items I'm Waiting On** | **Completed Items**


!	Type	Description	Due	Requester
No items at this time.				
<a href="#">&lt; prev 10</a> <a href="#">show all</a> <a href="#">next 10 &gt;</a>				

© 1999 BCDS, Inc.    [Your Privacy](#) | [About Us](#) | [Jobs@ Freeworks.com](#)  
 By accessing and using this site you agree to our [Terms of Service](#).

FIG. 1H

9/23



Because you can't expense the time that you spend filling out expense reports.


October 13, 1999
[logout](#)

**My Freeworks**  
1 New  
0 Overdue

**Create new...**  

[Action Item](#)
[Expense Report](#)
[Travel Request](#)

[To-Do](#)
[Purchase Request](#)
[Vacation Request](#)

**Report A Bug**


**Get It done...**  
[Add a To-Do](#)  
[Assign an Action Item](#)  
[Employee List](#)  
[Expense Report](#)  
[Purchase Request](#)  
[Travel Request](#)  
[Vacation Request](#)

**My Action Items**
**Items I'm Waiting On**
**Completed Items**

!	Type	Description	Done Date	Status
!		<a href="#">Relaxation</a>	10/11/99	Done
!		<a href="#">living in a small cabin, without ru...</a>		Done

[< prev 10](#)
[show all](#)
[next 10 >](#)

**Employee Lists**  
[Create New List](#)

**Tell a Friend**


**Resources**  
[Finance](#)  
[Human Resources](#)  
[Legal](#)  
[Management Office](#)  
[Management Sales & Marketing](#)  
[Vendor Management](#)



**Site**  
[Help & Support](#)  
[My Account](#)  
[Logout](#)

© 1999 BCDS, Inc.
[Your Privacy](#)
[About Us](#)
[Jobs@ Freeworks.com](#)


By accessing and using this site you agree to our [Terms of Service](#).

FIG. 11

10/23


October 13, 1999
[logout](#)

**My Freeworks**

**Purchase Request**

**Report A Bug**

**Get It done...**

- [Add a To-Do](#)
- [Assign an Action Item](#)
- [Employee List](#)
- [Expense Report](#)
- [Purchase Request](#)**
- [Travel Request](#)
- [Vacation Request](#)

**Tell a Friend**


**Resources**

- [Finance](#)
- [Human Resources](#)
- [Legal](#)
- [Management Office](#)
- [Management Sales & Marketing](#)
- [Vendor Management](#)

**Site**

- [Help & Support](#)
- [My Account](#)
- [Logout](#)

**Purchase Request Details**

Purpose: **Relaxation**  
Requester: **XXX@XX.com** Request date: **10/11/00**  
Priority: **High** Status: **Done**  
Project/account: **Techlex**  
Note:

**Purchase Item Details**

Description	Quantity	Each	Est. Cost
Porsche 911 Turbo	1	\$ 85,000.00	\$ 85,000.00
<b>Total</b>	<b>1</b>		<b>\$ 85,000.00</b>

**Recommended Vendor**

Name:  
Contact: Phone:  
Address: Fax:  
E-mail:

**History**

Assigned to: **XXX@XX.com** Status: **Rejected**  
Assigned: **10/11/99** Viewed: **10/13/99 11:31:18 AM** Completed: **10/11/99**  
Notes: **Refusing**


© 1999 BCDS, Inc.
[Your Privacy](#)
[About Us](#)
[Jobs@ Freeworks.com](#)

By accessing and using this site you agree to our [Terms of Service](#).

FIG. 1J



11/23



12/23





 	
<a href="#">logout</a>	
<div style="display: flex; justify-content: space-between; align-items: center;"> <span><b>My Freeworks</b></span> <span> <b>My Account</b></span> </div>	
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <b>Report A Bug</b> </div> <div style="border: 1px solid black; padding: 5px;"> <b>Get It done...</b>  <a href="#">Add a To-Do</a>  <a href="#">Assign an Action Item</a>  <a href="#">Employee List</a>  <a href="#">Expense Report</a>  <a href="#">Purchase Request</a>  <a href="#">Travel Request</a>  <a href="#">Vacation Request</a> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">  <b>Tell a Friend</b> </div> <div style="border: 1px solid black; padding: 5px;"> <b>Resources</b>  <a href="#">Finance</a>  <a href="#">Human Resources</a>  <a href="#">Legal</a>  <a href="#">Management Office</a>  <a href="#">Management Sales &amp; Marketing</a>  <a href="#">Vendor Management</a> </div> <div style="border: 1px solid black; padding: 5px;"> <b>Site</b>  <a href="#">Help &amp; Support</a>  <a href="#">My Account</a>  <a href="#">Logout</a> </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <b>XXXX@XXX.com</b> </div> <div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between;"> <div> <a href="#">Edit My Profile</a>  Edit information in your profile   <a href="#">Change Password</a>  Change your Freeworks.com password   <a href="#">Change Email Options</a>  Enable or disable email notifications from Freeworks.com   <a href="#">View Account History</a>  View the history of your account activity </div> </div> </div>
<div style="display: flex; justify-content: space-between; align-items: center;"> <span>© 1999 BCDS, Inc.</span> <span> <a href="#">Your Privacy</a>    <a href="#">About Us</a>    <a href="#">Jobs@ Freeworks.com</a> </span> </div> <p>By accessing and using this site you agree to our <a href="#">Terms of Service</a>.</p>	

FIG. 2B


13/23

VR_DATA (320)
EID_ (324A) TASK_ID (324B) START_DATE (324C) END_DATE (324D) VAC_LENGTH (324F) DESCRIPTION (324G) NOTES (324H) TYPE_DESC (324I) FIRST_CON_EID (324J) SECOND_CON_EID (324K) THIRD_CON_EID (324L)

300a

VR_CONTACT (340)
EID_ (344A) RANK (344B) CON_EID (344C)


FIG. 3A



300b

FIG. 3B

15/23






FIG. 5A

17/23





	
October 11, 1999 <span style="float: right;"><a href="#">logout</a></span>	
<b>My Freeworks</b>	 <b>User Registration</b>
<b>Report A Bug</b>	<p>Freeworks.com acts as your 24 hours-a-day personal assistant by taking care of the filling out, filing, and distribution of your paperwork, including expense reports, purchase requests, travel requests and much more. To get started, please provide the information requested below then click the <b>'Register'</b> button.</p>
<b>Get It done...</b> <a href="#">Add a To-Do</a> <a href="#">Assign an Action Item</a> <a href="#">Employee List</a> <a href="#">Expense Report</a> <a href="#">Purchase Request</a> <a href="#">Travel Request</a> <a href="#">Vacation Request</a>	<div> E-Mail Address: <input type="text"/>  First Name <input type="text"/>  Middle Initial <input type="text"/>  Last Name <input type="text"/>  Password <input type="text"/>  Password again <input type="text"/>  Please notify me of Freeworks.com product updates and announcements <input type="checkbox"/>  By registering I agree to the Freeworks.com <a href="#">Terms of Service</a>  <input type="button" value="Register"/> </div>
<b>Tell a Friend</b>	
<b>Resources</b> <a href="#">Finance</a> <a href="#">Human Resources</a> <a href="#">Legal</a> <a href="#">Management Office</a> <a href="#">Management Sales &amp; Marketing</a> <a href="#">Vendor Management</a>	
<b>Site</b> <a href="#">Help &amp; Support</a> <a href="#">My Account</a> <a href="#">Logout</a>	<b>Please note</b> <p>This is a preview release of Freeworks.com. We have endeavored to make it as stable as possible. However, you may experience intermittent problems. We encourage you to report bugs using the bug report form.</p> <p><b>Thank you!</b>  The Freeworks.com Team</p>
© 1999 BCDS, Inc. <a href="#">Your Privacy</a>   <a href="#">About Us</a>   <a href="#">Jobs@ Freeworks.com</a> By accessing and using this site you agree to our <a href="#">Terms of Service</a> .	

FIG. 5B

18/23



October 13, 1999 [logout](#)

**My Freeworks**  
0 New  
0 Overdue

**Report A Bug**

**Get It done...**  
[Add a To-Do](#)  
[Assign an Action Item](#)  
[Employee List](#)  
[Expense Report](#)  
[Purchase Request](#)  
[Travel Request](#)  
[Vacation Request](#)

**Tell a Friend**

**Resources**  
[Finance](#)  
[Human Resources](#)  
[Legal](#)  
[Management Office](#)  
[Management Sales & Marketing](#)  
[Vendor Management](#)

**Site**  
[Help & Support](#)  
[My Account](#)  
[Logout](#)

**Travel Request**  
Description: **living in a small cabin, without running water**  
Requester: **XXXX@XXX.com** Request date: **10/12/99**  
Priority: **Normal** Status: **Done**  
Travel start: **10/13/99** Purpose: **regain sanity**  
Travel end: **10/12/00** Total travel days: **365**  
Destination: Estimated cost: **\$14**  
Note:  
598

**History**  
Assigned to: **XXXX@XXX.com** Status: **Reject**  
Assigned: **10/11/99 2:20:41 PM** Viewed: **10/11/99 2:23:49 PM** Completed: **10/1**  
Notes:  
599

© 1999 BCDS, Inc. [Your Privacy](#) | [About Us](#) | [Jobs@ Freeworks.com](#)  
By accessing and using this site you agree to our [Terms of Service](#).

FIG. 5C



19/23




FIG. 6

20/23


700

FIG. 7

21/23




FIG. 8

22/23






FIG. 9A


23/23



**Because you can't expense the time that you spend filling out expense reports.**




October 13, 1999
[logout](#)

**My Freeworks**

**Account History**

**Report A Bug**

**Get It done...**

- [Add a To-Do](#)
- [Assign an Action Item](#)
- [Employee List](#)
- [Expense Report](#)
- [Purchase Request](#)
- [Travel Request](#)
- [Vacation Request](#)

**Tell a Friend**


**Resources**

- [Finance](#)
- [Human Resources](#)
- [Legal](#)
- [Management Office](#)
- [Management Sales & Marketing](#)
- [Vendor Management](#)

**Site**

- [Help & Support](#)
- [My Account](#)
- [Logout](#)

Date	Account	Initiated by	Account changed
10/11/1999	Invite a User	XXX@XX.com	XXX@XX.com
10/11/99	User Registration	XXX@XX.com	XXX@XX.com

Done

© 1999 BCDS, Inc.    [Your Privacy](#) | [About Us](#) | [Jobs@ Freeworks.com](#)

By accessing and using this site you agree to our [Terms of Service](#).

FIG. 9B

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US00/27672

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 17/30

US CL : 707/1, 2, 6, 10, 100

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 707/1, 2, 6, 10, 100

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
WEST, EAST

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,911,687 A (SATO et al) 06 June 1999, Abstract, lines 1-22.	1-12
X,P	US 5,970,475 A (BARNES et al) 19 October 1999, Abstract, lines 1-25, figures 25.	1-15
X	US 5,950,200 A (SUDAI et al) 07 September 1999, Abstract, lines 1-17.	1-15
X	US 5,948,040 A (DELORME et al) 07 September 1999, Abstract, lines 1-33, figures 1-9.	1-15
Y	US 5,933,811 A (ANGLES et al) 03 August 1999, Abstract, lines 1-22, figures 1-11.	12-15

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*B\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\*

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\*

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\*

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*A\*

document member of the same patent family

Date of the actual completion of the international search

01 DECEMBER 2000

Date of mailing of the international search report

22 MAR 2001

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

JOHN BREENE

Telephone No. (703) 305-9790